

PowerTrace Serial User's Guide

MANUAL

PowerTrace Serial User's Guide

[TRACE32 Online Help](#)

[TRACE32 Directory](#)

[TRACE32 Index](#)

[TRACE32 Documents](#)



PowerTrace Serial User's Guide	1
Introduction	5
Intended Audience	5
Prerequisites	5
Contacting Support	6
Installation	8
Hardware Installation	8
PowerTrace Serial	8
Adapter for AGBT (LA-3556)	11
Adapter for RH850 (LA-3561)	12
Adapter for Mini-PCIe (LA-3526)	14
Adapter for PCIe Slot Card (LA-3525)	15
Configuration Switches	20
Configuration Guide	23
PCIe-Gen4 Preprocessor for PowerTrace Serial (LA-3529)	24
Hardware Installation	24
Hardware Status and Link Information	27
Configuration Jumpers and Switches	29
Replacement parts	30
Preprocessor Aurora 2 for PowerTrace Serial (LA-3945)	31
Software Installation	32
Recommendation for the Software Start	32
Recommendation for Power Down	32
Trace Port Utilization	33
HSSTP-based Trace Port	33
Start-up Script	34
Example	34
AGBT-based Trace Port	38
Serial NEXUS-based Trace Port	38
PCIe-based Trace Port	38
Start-up Script	39
Example	39
FAQ	40

Diagnosis	41
Device LED Codes	41
POWER	41
SELECT	41
RECORD	41
RUNNING	41
Displaying Error Messages	42
Searching for Errors	43
Types of Trace Decoder Errors	45
Harderror	45
Flowerror	45
Fifofull	46
Trace Test Failure Messages	46
Diagnosis Check List	47
Basic Checks	47
Advanced Checks	51
Recommendations for Target Board Design	52
Technical Data	53
PowerTrace Serial Accessory Sets	53
LA-3521 - ACC-PTSERIAL-ETM 1-6	53
LA-1235 - 40pin Flex Cable	53
LA-2770 - Mipi34-ARM20 Adapter	54
LA-2114 - 34pin Half Size Cable	54
LA-3522 - ACC-PTSERIAL-ETM 7-8	55
LA-1239 - 80pin Flex Cable	55
Electrical Specification for PowerTrace Serial	56
Electrical Characteristics	56
Absolute Maximum Ratings	56
Switching Characteristics	56
Timing Characteristics	57
Maximum Lane Skew	57
Additional Data	57
PCB	57
Device Connector	57
Simulation Model	58
Simulation Data Request	58
PowerTrace Serial	58
Dimensions	58
Connector Layout	59
SerialPort 0	59
SerialPort 1	59
Logic Analyzer Probe (only PowerTrace Serial V1)	59
Aux Port V1 (only PowerTrace Serial V2)	59

Introduction

PowerTrace Serial is state-of-the-art trace extension that covers all high-speed serial trace ports from low lane count, low bit rate up to the highest lane count and fastest bit rate available in the embedded market. It supports all kinds of chips supporting a serial trace port. Not only supporting the Aurora/HSSTP protocol, but also excellent support for tracing over PCIe.

PowerTrace Serial can capture up to 8 serial lanes with up to 12.5 Gbit/s per lane. Even higher trace rates are possible via optional preprocessors plugged to the device.

Higher speeds are always combined with higher demand on system design. New interfaces require digging into new papers of peripheral components. There is more work to do and higher potential of malfunction. This User's Guide intends to flatten the path to a well working Gigabit-trace setup.

Intended Audience

This manual categorizes users into the following groups:

- *Serial trace average users*: In addition to reading chapter [Installation](#), they should focus on the sections [Trace Port Utilization](#) and [Basic Checks](#).
- *Serial trace advanced users*: As they are familiar with the above chapters and sections, advanced users should also read the sections [Advanced Checks](#).


Prerequisites

- This document assumes that you already have the PowerTrace Serial hardware and a fully functional TRACE32 software installation.
- For some trace port types (e.g. PCIe), you need a different accessory set.

Contacting Support

Be sure to include detailed system information about your TRACE32 configuration.

1. To generate a system information report, choose **TRACE32 > Help > Support > Systeminfo**.



NOTE:

Please help to speed up processing of your support request. By filling out the system information form completely and with correct data, you minimize the number of additional questions and clarification request e-mails we need to resolve your problem.

2. Preferred: click **Save to File**, and send the system information as an attachment to your e-mail.
3. Click **Save to Clipboard**, and then paste the system information into your e-mail.

Support Address

In addition to the system information report, please send the following information and files to support@lauterbach.com:

- Used start-up/configuration scripts
- List of all TRACE32 device, adapters and cables.
- A picture of your complete trace/debug hardware setup, if possible.
- The complete text of the error messages you get ([AREA.view](#))
- Trace connector pinout (board schematics and layout)
- Is the problem lane speed or lane count dependent?

- A screenshot of each lane shown in **Trace.ShowFocusEye** (press SCAN before)

In this section:


- [Hardware Installation](#)
- [Software Installation](#)

Hardware Installation


PowerTrace Serial

1. Connect the PODBUS EXPRESS IN connector to the PODBUS EXPRESS OUT connector of the PowerDebug II / PowerDebug Pro interface. Please ensure correct positioning. The connectors must be clean and without any damage.
2. Connect the flex cable and, if necessary, the debug cable to Serial Port 0 or Serial Port 1 of the **PowerTrace Serial**.

Check the connector orientation of tool and target, there are two 45° corners [A] and two 90° corners [B]:



The marker of pin 1 [C] of the plug is easy to miss, but is located close to one 45° corner [A]. For better illustration the picture below is rotated of 180°:



A 45° conners

C Pin 1 marker

B 90° conners

The flex cables are labeled to make the installation easier:




Serial Port 0: The debug cable can be connected to the PowerTrace Serial module or directly to the target depending on the target trace connector pin-out.




Serial Port 1: The debug cable must be connected to the target directly or




requires an adapter to merge debug and trace signals to a single cable:





Connector	Function
A	AUTO26 debug connector
B	JTAG16 debug connector
C	Target connector
D	PowerTrace Serial connector for Serial Port 1


	Both debug connectors, AUTO26 [A] and the JTAG16 [B] hold the same debug signals coming from the target connector [C]. Only one debug connector at the time must be used.
---	---



Connector	Function
A	AUTO26 debug connector
B	JTAG14 debug connector
C	Target connector
D	PowerTrace Serial connector for Serial Port 1


Jumper	Function
X130	Set: Connects pin 16 (EVTI) of the target connector to TRIGOUT of PowerTrace Serial Open: EVTI not connected
X131	Set: Connects pin 18 (EVTO) of the target connector to TRIGIN of PowerTrace Serial Open: EVTO not connected
X132	DO NOT SET! Pin 1: Connected to pin 34 of the target connector (RESOUT) Pin 2: GND

Jumper	Function
X113	DO NOT SET! Pin 1: Connected to pin 25 of the target connector Pin 2: GND
Pin27	Set: Connects pin 27 of the target connector to pin 14 (WD) of AUTO26 Open: pin 14 of Auto26 is open
Pin31	Set: Connects pin 31 of the target connector to pin 22 (BREQ) of AUTO26 Open: pin 22 of Auto26 is open
Pin33	Set: Connects pin 27 of the target connector to pin 24 (BGNT) of AUTO26 Open: pin 24 of Auto26 is open




Adapter for Mini PCIe (LA-3526)

The passive adapter card is used to adapt PC-like targets with trace data coming via MiniPCIe connectors.




Connector	Function
A	MiniPCIe edge connector
B	PowerTrace Serial connector for Serial Port 1

Insert the adapter carefully.




The active adapter card is used to adapt PC-like targets with trace data coming via PCIe. A special analog repeater component amplifies the electrical signal and improves the data eye. The component is transparent to target and tool. It can work in automatic configuration mode or manual configuration mode for PCIe Gen1,2 and 3.




The form factor follows the standard for PC slot-in cards. The card can be plugged into standard 16-lane-slots, 8-lane-slots and in case of special open-frame connectors also into 4-lane-slots and 1-lane-slots. If necessary the metal plate can be removed.

	The adapter will be shipped in auto-configuration-mode which will work for most of the targets. Configuration changes (e.g. deemphasis) should be done carefully and knowledge of high-speed signaling techniques is necessary.
--	---



- A** PowerTrace Serial tool connector
- B** Selector for adapter configuration mode for RX path
- C** Selector for adapter configuration mode for TX path
- D** Configuration switches for equalizer and deemphasis for groups of lanes (RX and TX)
- E** Selector for adapter configuration mode for RX path
- F** Selector for protocol specific behavior for RX path
- G** Selector for termination style for RX path
- H** Selector for adapter configuration mode for TX path
- J** Selector for protocol specific behavior for RX path
- K** Selector for termination style for TX path
- L** Selector for EEPROM configuration
- M** PCIe-device-present
- O** Target connector

A target setup could look like this:



NOTE:	It could be necessary to give mechanical support to the 80pin cable on its way from tool to target.
--------------	---

LED	Function
RX DONE	On: RX register configuration done Off: RX register configuration in progress, failed or target not powered
TX DONE	On: TX register configuration done Off: TX register configuration in progress, failed or target not powered

NOTE:	The adapter configuration of RX buffers and TX buffers is pipelined. The TX configuration can only succeed if RX configuration was successful.
--------------	--

CFG Jumper	Function
RX CFG MODE	<p>Must be set to 2-3</p> <p>Set 1-2: SMB slave mode Set 2-3: Pin mode Open: SMB master mode (PROM mode)</p>
TX CFG MODE	<p>Must be set to 2-3</p> <p>Set 1-2: SMB slave mode Set 2-3: Pin mode Open: SMB master mode (PROM mode)</p>
PROG	<p>Must be open</p> <p>Set: PROM programming mode Open: normal mode</p>


PRSNT Jumper	Function
PRSNT	<p>Set number of lanes regarding to the PCIe standard. The target OS sometimes needs this information to configure the PCIe root complex correctly. Don't leave the jumper open. Select the next higher number of your lane count, e.g. x4 in case of 2 lanes.</p> <p>Set x1: select 1 lane Set x4: select 4 lanes Set x8: select 8 lanes</p>

RX Jumper	Function
SCL SEL	<p>Must be set to 2-3.</p> <p>Set 1-2: SMB mode Set 2-3: Pin mode</p>
SDA SEL	<p>Must be set to 2-3.</p> <p>Set 1-2: SMB mode Set 2-3: Pin mode</p>

RX Jumper	Function
RXTERM	<p>Termination behavior during signal detection. Default: Open.</p> <p>Open: unlimited cyclic RX test, Hi-Z during test then 50Ω Set 1-2: limited cyclic RX test, Hi-Z during test then 50Ω Set 2-3: manual test with 50Ω termination</p>
PCIe MODE	<p>Emphasis/deemphasis configuration Default: Open</p> <p>Set 1-2: PCIe Gen3 without Deemphasis Set 2-3: PCIe Gen3 with Deemphasis Set 2-4: PCIe Gen1+2 Open: Auto detection of driver parameter</p>

TX Jumper	Function
SCL SEL	<p>Must be set to 2-3.</p> <p>Set 1-2: SMB mode Set 2-3: Pin mode</p>
SDA SEL	<p>Must be set to 2-3.</p> <p>Set 1-2: SMB mode Set 2-3: Pin mode</p>
TXTERM	<p>Termination behavior during signal detection. Default: Open.</p> <p>Open: unlimited cyclic RX test, Hi-Z during test then 50Ω Set 1-2: limited cyclic RX test, Hi-Z during test then 50Ω Set 2-3: manual test with 50Ω termination</p>
PCIe MODE	<p>Emphasis/deemphasis configuration Default: Open</p> <p>Set 1-2: PCIe Gen3 without deemphasis Set 2-3: PCIe Gen3 with deemphasis Set 2-4: PCIe Gen1+2 Open: Auto detection of driver parameter</p>

Equalization and Deemphasis can be configured separately for RX lane [0-3] and RX lane [4-7] and TX lane [0-3] and TX lane [4-7]. The configuration switches are grouped and can be set to on (1) and off (0). Three switches form a mutual group, e.g. switch[1..3]=> parameter EQ0. Within a group only one switch must be on.



	Driver settings for RX and TX will match in most cases.
---	---

#	EQ0	EQ1	dB at 1.5GHz	dB at 2.5GHz	dB at 4GHz	dB at 6GHz	Suggested for
1	100	100	2.5	3.5	3.8	3.1	FR4 and less than 5inch traces
2	010	100	3.8	5.4	6.7	6.7	FR4 5-10inch traces
3	000	100	5.0	7.0	8.4	8.4	FR4 10inch traces
4	001	100	5.9	8.0	9.3	9.1	FR4 15-20inch traces
5	100	010	7.4	10.3	12.8	13.7	FR4 20-30inch traces
6	010	010	6.9	10.2	13.9	16.2	FR4 25-30inch traces

#	EQ0	EQ1	dB at 1.5GHz	dB at 2.5GHz	dB at 4GHz	dB at 6GHz	Suggested for
7	000	010	9.0	12.4	15.3	15.9	FR4 25-30inch traces
8	001	010	10.2	13.8	16.7	17.0	8m cable, 30AWG
9	100	000	8.5	12.6	17.5	20.7	more than 8m cables
10	010	000	11.7	16.2	20.3	21.8	
11	000	000	13.2	18.3	22.8	23.6	
12	001	000	14.4	19.8	24.2	24.7	
13	100	001	14.4	20.5	26.4	28.0	
14	010	001	16.0	22.2	27.8	29.2	
15	000	001	17.6	24.4	30.2	30.9	
16	001	001	18.7	25.8	31.6	31.9	
	else	else					Not allowed

	Equalizer configuration #1 is default.
---	--

#	DE0	DE1	Vp-p	DEM dB	internal Vp-p	Suggested for
1	100	100	0.8	0	0.8	FR4 and less than 5inch 4mil traces
2	010	100	0.9	0	0.9	FR4 and less than 5inch 4mil traces
3	000	100	0.9	-3.5	0.6	FR4 and 10inch 4mil traces

#	DE0	DE1	Vp-p	DEM dB	internal Vp-p	Suggested for
4	001	100	1.0	0	1.0	FR4 and less than 5inch 4mil traces
5	100	010	1.0	-3.5	0.7	FR4 and 10inch 4mil traces
6	010	010	1.0	-6	0.5	FR4 and 15inch 4mil traces
7	000	010	1.1	0	1.1	FR4 and less than 5inch 4mil traces
8	001	010	1.1	-3.5	0.7	FR4 and 10inch 4mil traces
9	100	000	1.1	-6	0.6	FR4 and 15inch 4mil traces
10	010	000	1.2	0	1.2	FR4 and less than 5inch 4mil traces
11	000	000	1.2	-3.5	0.8	FR4 and 10inch 4mil traces
12	001	000	1.2	-6	0.6	FR4 and 15inch 4mil traces
13	100	001	1.3	0	1.3	FR4 and less than 5inch 4mil traces
14	010	001	1.3	-3.5	0.9	FR4 and 10inch 4mil traces
15	000	001	1.3	-6	0.7	FR4 and 15inch 4mil traces
16	001	001	1.3	-9	0.5	FR4 and 20inch 4mil traces
	else	else				Not allowed

	Deemphasis configuration #1 is default.
---	---

Target-specific adapter configuration might be necessary, if


- it is not possible to establish a PCIe link
- the lane speed is below the maximum possible
- the PCIe error rate is high => high bandwidth reduction

Start with the first configuration (#1) and increase step by step (#2 => #3 ...). To verify the configuration the data eye scanner should be used ([Analyzer.ShowFocusEye](#)).



Always first disable the switches before you enable the next configuration. Don't have more than one switch enabled within a group. Changing the configuration must be done like this:


- 100 : current configuration
- 000 : set temporary configuration
- 001 : set final configuration



The preprocessor is used to adapt targets with trace data coming via PCIe. A special PCIe bridge component converts the x4 PCIe-Gen 4-stream coming from the target hardware to a x8 PCIe-Gen 3-stream going to the PowerTrace Serial module. Due to the downward compatibility of PCIe the preprocessor supports PCIe Gen1,2,3 and 4. The bridge component is not transparent to target and tool. A correct bus enumeration is necessary to address the attached bus devices correctly.

Hardware Installation

The blue 80pin Samtec cable is labeled with “Serial Port 1” at one end, which must be connected to the corresponding port of PowerTrace Serial module. The other end of the cable must be connected to the metal slot blade if the preprocessor. Check the connectors orientation (A) and insert carefully:



Finally, tighten the screws of the retainers lightly with a suitable screwdriver. If the trace module does not have corresponding screw holes then leave the screws loose in this case.

The PCIe-Gen4-Preprocessor uses special high-speed cables for data transmission. They consist of solid core wires and a double layer of metal foil for shielding which makes them very sensitive to bending. Avoid tight bending radii, make large bends instead:




Don't crimp or kink the cables!
Keep the bending radius greater than 3cm (OCuLink) and 7cm (Samtec).

Target adaptation via OcuLink

The preprocessor supports two connector types, OCuLink and edge-card. When delivered, the preprocessor is installed in the housing and already configured for OCuLink.




Connect the OCuLink-cable to the preprocessor and then to the target board. Ensure stable placement on the table for both, the preprocessor and the trace & debug modules. Take care of the cables.



Target adaptation as slot card

When the preprocessor should be used as plug-in card, it must be removed from the housing. The removal can be done without tools:

1. Remove all cables from the preprocessor.
2. Lift the top of the housing slightly near the recess and then pull off the entire front panel.
3. Remove the small plastic screw (A) on the left side of the PCB by hand.
4. First, slide the circuit board to the left, then move it a little downwards to release. Take it out of the box.
5. Set DIP switch #1 to ON (B) to select slot-card mode.






Handle the printed circuit board with care, it is sensitive to electromagnetic discharges.

Place the preprocessor card in a standard PCIe-slot for x4, x8 or x16 cards. The preprocessor also fits in x1 slots with open-frame design. Finally, connect the preprocessor with the PowerTrace Serial module using the 80pin Samtec cable.



Hardware Status and Link Information

The picture below shows different interesting areas of the preprocessor which will be described afterwards.



LED	Function
POWER	<p>Power status of the preprocessor</p> <p>On: Preprocessor is powered, TRACE32 software is running Off: Preprocessor is not powered, TRACE32 software is not running</p>
OLink Up	<p>Link status of OCulink-port</p> <p>The PCIe-link is established when the LED lights up. Blink codes report the link speed:</p> <p>Gen 4: static on Gen 3: 2.0Hz blinking Gen 2: 1.0Hz blinking Gen 1: 0.5Hz blinking</p> <p>The LED is off if the PCIe-link is down.</p>
TLink Up	<p>Status of PCIe-link between PCIe-Gen4 Preprocessor and the PowerTrace Serial module</p> <p>The PCIe-link is well established when the LED is blinking at 2.0Hz. Deviating blink codes report reduced link speed:</p> <p>Gen 3: 2.0Hz blinking Gen 2: 1.0Hz blinking Gen 1: 0.5Hz blinking</p> <p>The LED is off if the PCIe-link is down.</p>
BLink Up	<p>Link status of edge-card port</p> <p>The PCIe-link is established when the LED lights up. Blink codes report the link speed:</p> <p>Gen 4: static on Gen 3: 2.0Hz blinking Gen 2: 1.0Hz blinking Gen 1: 0.5Hz blinking</p> <p>The LED is off if the PCIe-link is down.</p>
Device Err	<p>PCIe-Gen4 Preprocessor system status</p> <p>On: Hardware configuration of PCIe-Gen4 Preprocessor failed Off: Device configuration OK</p>

LED	Function
BSEL	The LED is ON if the slot card connector is selected.
OSEL	The LED is ON if the OCuLink connector is selected.

If the LED nearby the OCuLink connector lights up then this connector is selected for connecting the target board. Otherwise, if the LED nearby the edge-card connector lights up then this connector is selected for connecting the target board.

Configuration Jumpers and Switches

Jumper	Function
PRSNT-	Defines the port size reported to the target board connected to the edge-card connector (PRSNT1# connected to pin 17 or pin 31 (PRSNT2#)) Set to 1-2: 1-lane mode (x1) Set to 2-3: 4-lane mode (x4, default) Open: Signals PRSNT1# and PRSNT2# (pin 17 or pin 31) are floating
VCC PERST	Defines the supply voltage of the input buffer and the pullup-resistor connected to the PERST-signal. Typically, the PERST-signal is driven from target via open-drain buffer. Set to 1-2: 1.8V Set to 2-3: 3.3V (default) Open: Not allowed
CPRSNT	Controls behavior of CPRSNT-signal of the OCuLink-connector Set: Connects CPRSNT of directly to GND. Open: If TRACE32 software is running then CPRSNT=GND, else CPRSNT=HIGH.

DIP Switch	Function
1	Select target port connector On: Edge-Card connector Off: OCuLink connector (default)
2-4	Factory test (default: Off)

DIP Switch	Function
5	Factory test (default: On)
6-8	Factory test (default: Off)

Replacement parts

Order Number	
LA-3509	Retainer for Samtec 80
LA-1211	Flex Ext. for SAMTEC 80 pin ERM8-ERM8 500mm B
LA-1990	OCuLink Cable 500mm

This page is under construction.

TRACE32 PowerView includes debug and trace tool support. An extra software installation is not required. Additional license keys might be required, if architectures other than architecture covered by the included module license wants to be used.

Recommendation for the Software Start

1. Power off Target and TRACE32 hardware.
2. Disconnect the debug cable and trace cable from the target.
3. Ensure that any required adapters (e.g. [LA-3556](#)) and cables are connected to the PowerTrace Serial.
From functional point of view the adapter [LA-3525](#) belongs to the target side and should not be connected to the PowerTrace Serial.
4. Start the TRACE32 software.
5. Connect the debug and trace cables to the target.
 - If there is no appropriate jack on your target, you can also connect the debug cable to the debug port of Serial Port 0 if this port is planned to be used (for ARM/Mipi conform devices only).
 - Alternatively, connect the debug cable to an additional converter PCB, which splits debug and trace signals. The converter PCB needs to be ordered separately at Lauterbach.
6. Connect the Serial Port 0 to your target's trace port by using the flex extension cable delivered with your accessory set. For some architectures, port sizes greater than 6 lanes or other trace protocols like PCIe, you need to use Serial Port 1.
7. Switch the target power on.
8. Run your start-up script.

NOTE:	Cable/adapter sets called “accessory set” have to be ordered additionally.
--------------	--

Recommendation for Power Down

1. Switch off the target power.
2. Disconnect the debug cable and trace flex extension cable from the target.
3. Shut down the TRACE32 PowerView GUI.
4. Switch off the TRACE32 hardware.

In this section:

- [HSSTP-based Trace Port](#)
- [AGBT-based Trace Port](#)
- [Serial NEXUS-based Trace Port](#)
- [PCIe-based Trace Port](#)

HSSTP-based Trace Port

The PowerTrace Serial can be used to trace many different architectures. Each architecture requires its own configuration on the target side to configure the CPU to send trace information.

A common trace setup consists of the following parts:

TRACE32 start-up

- Connection of system modules
- Establishing host connection
- Starting TRACE32 PowerView

TRACE32 setup

- Debug and trace port connection
- CPU (selection, system mode,...)
- Peripheral (external buffer enable,...)
- GPIO/trace port (PLL, pin manager,...)
- Trace logic (base address, filter,...)
- Application (frequency, I/O setup,...)
- Trace port (speed,...) including channel training

Trace port test

- Check trace channel state and correct data recording

TRACE32 PowerView offers a powerful feature called PRACTICE. The Lauterbach script language PRACTICE is used for automating tests, configuring the TRACE32 PowerView GUI and your debug environment.

The following example shows how to configure a trace port (ETM) and how to save the configuration.

Example

(A) The following trace port settings are required:

- Define the lane count of the trace port with the command **TRACEPORT.LaneCount**.
- Define the lane speed of the trace port with the command **TRACEPORT.LaneSpeed**.
- Definition of the endianness of the trace port is device dependent:
TRACEPORT.MsgBitEndian
TRACEPORT.MsgByteEndian
TRACEPORT.MsgWordEndian
TRACEPORT.MsgLongEndian.
- Definition of skipping bytes is device dependent:
TRACEPORT.StartsKiP
TRACEPORT.EndsKiP
- The need of a tool-sourced reference clock is target dependent:
TRACEPORT.RefClock
- Turn on the ETM with the command **ETM.ON**.

(B) The target must be configured:

- Set up the I/O-ports (PHYs). To find the required information, refer to your CPU manual.
- Set up the board (buffers, jumpers, etc.). To find the required information, refer to your target user guide.
- Configure the operating frequency. The frequency depends on your own application.

(C) Finally, the PowerTrace Serial needs to be trained to get the channel up correctly:

- Start training sequence on target side (e.g. via script)
- Check the trace channel is up with **PRINT Analyzer.ISCHANNELUP()**.

This example is made for an CortexR5 target:

```
; JTAG DEBUGGER SETUP
SYSystem.RESet                                ; Initialize system
SYSystem.JtagClock 10Mhz                      ; Select JTAG clock
SYSystem.CPU CORTEXR5                         ; Select CPU type
SYSystem.Up                                     ; Start debugger

; TARGET SETUP
Data.Set SD:0x10000014 %LE %L 0a05f          ; Unlock target reg
Data.Set SD:0x10000008 %LE %LONG 20           ; Set target frequency
SYSystem.Option.BigEndian OFF                  ; Set endianism

; PROGRAM SETUP
Data.LOAD.ELF armle.axf /SPATH /LPATH
Register.Set PC main                          ; Load example PRACTICE
                                                ; script
                                                ; Set program counter to
                                                ; program start
```

; (A) TRACE PORT SETUP

```
SYStem.CONFIG.ETM.BASE APB:0x8000E000 ; Assign Coresight:  
SYStem.CONFIG.FUNNEL1.BASEAPB:0x80004000 ; ETM Base Address  
SYStem.CONFIG.FUNNEL1.ATBSOURCE ETM 0 DTM 2 ; Funnel Base Address  
SYStem.CONFIG.ETF1.BASE APB:0x8000C000 ; ETF Base Address  
SYStem.CONFIG.ETF1.ATBSOURCE FUNNEL1  
SYStem.CONFIG.TPIU.BASE APB:0x80003000 ; TPIU Base Address  
SYStem.CONFIG.TPIU.ATBSource ETF1  
SYStem.CONFIG.ETR1.BASE APB:0x8000D000 ; ETR Base Address  
SYStem.CONFIG.ETR1.ATBSOURCE ETF1  
  
ETM.CORE 0 ; Assign core 0  
  
ETM.PortMode CONTINUOUS ; Set the trace mode to  
                          ; Continuous mode  
  
ETM.DataTrace Both ; Trace Address and Data  
  
ETM.ON ; Turn ETM on  
  
SYStem.CONFIG.TRACEPORT.Type.AURORA ; Set traceport type to  
                                      ; Aurora  
  
SYStem.CONFIG.TRACEPORT1.TraceSource TPIU ; Connect TPIU with  
                                            ; traceport  
  
TRACEPORT.LaneSpeed 6000Mbps ; Set lane speed  
  
TRACEPORT.LaneCount 4lane ; Set number of lanes  
  
TRACEPORT.MsgBitEndian BigEndian ; Change bit endianness  
                                    ; of Aurora payload  
  
TRACEPORT.EndsKiP 2 ; Skip the last two  
                      ; bytes of an Aurora  
                      ; frame (=>skip CRC)
```

```

;(B) Target configuration
Data.Set EAPB:0x80009028 %LE %LONG 0x00219582 ; Remove PLL Bypass

Data.Set EAPB:0x8000902C %LE %LONG 0x80000000 ; Release Traceclkout
; divider

Data.Set EAPB:0x80009000 %LE %LONG 0xF0002018 ; Set transfer reg

Data.Set EAPB:0x80009000 %LE %LONG 0xF000201C ; Release reset

Data.Set EAPB:0x80001220 %LE %LONG 0x00000001 ; CRC enable

Data.Set EAPB:0x80001208 %LE %LONG 0x3FDFFFFF ; Set Verify, bond and
; alignment lengths

Data.Set EAPB:0x80001214 %LE %LONG 0xf ; Configure lane count

;(C) Train Serial Channel and Test
&ad=0x80001204
TIMEOUT 2s WHILE !(Analyzer.ISCHANNELUP())
(
  Data.Set EAPB:0x80001200 %LE %LONG 0x00000000 ; Set STP link reset
  Data.Set EAPB:0x80001200 %LE %LONG 0x0000000C ; Remove STP link reset
  Data.Set EAPB:0x80001200 %LE %LONG 0x0000000D ; Enable channel init
  WAIT CONV.INTTOBOOL(D.long(EAPB:&ad)&0x4f) 1s ; Wait for pattern done
)

IF !(TIMEOUT())
(
  Data.Set EAPB:0x80001200 %LE %LONG 0x0000000F ; Enable STP Link
; transmit
)
ELSE
(
  PRINT "Failed to get channel up after 2s" ; Report error
)
PRINT Analyzer.ISCHANNELUP() ; print channel status
ENDDO ; End of script

```

The trace port setup is fully integrated in TRACE32. No separate configuration is required for common TRICORE architectures.

Serial NEXUS-based Trace Port

The trace port setup is fully integrated in TRACE32. No separate configuration is required for common NEXUS architectures like QorIQ, MPC57xx and RH850.

PCIe-based Trace Port

The PowerTrace Serial can be used to trace many different architectures. Each architecture requires its own configuration on the target side to configure the target device to send trace information via PCIe.

A common trace setup consists of the following parts:

TRACE32 start-up

- Connection of system modules
- Establishing host connection
- Starting TRACE32 PowerView

TRACE32 setup

- Debug and trace port connection
- CPU (selection, system mode,...)
- Trace logic (base address, filter,...)
- Trace port

Target setup

- Configuration of PCIe root complex and trace source
- Peripheral (external buffer enable,...)
- GPIO/trace port (PLL, pin manager,...)
- Application (frequency, I/O setup,...)

Trace port test

- Check trace channel state and correct data recording

TRACE32 offers a powerful feature called PRACTICE. The Lauterbach script language PRACTICE is used for automating tests, configuring the TRACE32 PowerView GUI and your debug environment.

The following example shows how to configure a trace port (PCIe) and how to save the configuration.


Example

(A) The following settings are required:

- Configuration trace environment with the command **SYStem.CONFIG TRACEPORT**.
- Init analyzer with the command **Analyzer.Init**.

(B) The target must be configured:

- Set up the I/O-ports (PHYs). To find the required information, refer to your CPU manual.
- Set up the board (buffers, jumpers, etc.). To find the required information, refer to your target user guide.
- Configure PCIe root complex. PowerTrace Serial is always an endpoint



- Set up trace source.

(C) The PowerTrace Serial will be trained by the root complex. Finally the channel state should be checked:

This example is based on an LS1046 target

```
; JTAG DEBUGGER SETUP
SYStem.RESet
SYStem.JtagClock ...
SYStem.CPU ...
SYStem.Up

; TARGET PERIPHERAL SETUP
Data.Set ...
SYStem.Option ...

; TARGET APPLICATION SETUP
Data.LOAD.ELF ...
Register.Set PC ...
Go.direct main

;(A) TRACE32 TRACE SETUP
SYStem.CONFIG.TRACEPORT.Type.PCIE.
Analyzer.Init

;(B) TARGET PCIe SETUP (script)
DO setup_ls_pcie "0x03600000" "0x5000000000"

;(C) TARGET TRACE SETUP (script)
&EtrAxiBase=0x5049000000
DO etr_utility.cmm ETR1 set DAB &EtrAxiBase
DO etr_utility.cmm" ETR1 set RSZ 0x8
DO etr_utility.cmm" ETR1 set AXICCTL 0x00000F00 0x00000FBF

Trace.METHOD Analyzer

ETM.Trace ON

ETM.ON

;Test the state of the trace channel
PRINT Analyzer.ISCHANNELUP()

ENDDO
```

FAQ

Please refer to <https://support.lauterbach.com/kb>.

Diagnosis

Device LED Codes

POWER

This LED gives information about the power state of PowerTrace Serial. It can blink or be off or on. The blink codes give further information about the issue:

Code	Note	Comment
1111111111111111	permanent on	power good
0000000000000000	permanent off	power off
1010100000000000	3x blinking	power connector used, but under/over voltage detected
1010000000000000	2x blinking	power fail on Serial Port 1
1000000000000000	1x blinking	main power regulation fail or external power connector is used, but no power sourced (=>0V)

SELECT

There can be multiple devices connected to the TRACE32 PodbusExpress. The LED reports which device is currently selected. It can blink or be off or on.

RECORD

The trace tool is armed and ready to receive data from target trace port. It can be off or on.

RUNNING

There are trace data coming in. The trace tool is receiving and the trace buffer gets filled. It can blink or be on or off.


Displaying Error Messages



Advanced trace analysis commands like **Trace.STATistic.Func**, **Trace.STATistic.TASK** or **PERF.List** display only accurate results if the trace recording works error free.

Error messages are displayed:


- In the upper left corner of the **Trace.List** window:



- In the message line:



- In the **Area.view** window:




Searching for Errors

TRACE32 uploads only the requested trace information to the host to provide a quick display of the trace information. Consequently, errors that are out of the uploaded range are not immediately visible.

There are several ways to search for errors within the trace, all of them will force TRACE32 to upload the complete trace information to the host:

1. The Trace Find dialog:

- In the **Trace.List** window, click **Find** to open a dialog with special search options:



- Select **Expert** and enter “flowerror” in the **items** field. The item entry is not case sensitive.
- Use the **Find First** and **Find Next** buttons to jump to the next flowerror within the trace.
- Click **Find All** to open a window listing all flowerrors.



2. The command **Trace.FindAll , FLOWERROR**

This command searches for **errors** within the entire trace buffer. The records are listed in a window. The command corresponds to **Find All** described above.

43	run	address	cycle	data	symbol	ti.back
00203067		R:00001E34	exec		\xarmle\xarm\func21+0x10	
00198311		R:00001E34	exec		\xarmle\xarm\func21+0x10	65.500us
00195443		R:0000226C	exec		\xarmle\xarm\sieve+0x44	39.530us
00193559		R:00001DE4	exec		\xarmle\xarm\func19+0x10	25.970us
00189917		R:0000227C	exec		\xarmle\xarm\sieve+0x54	49.930us
00183125		R:00002254	exec		\xarmle\xarm\sieve+0x2C	93.570us
00175149		R:0000227C	exec		\xarmle\xarm\sieve+0x54	109.800us
00173609		R:00002254	exec		\xarmle\xarm\sieve+0x2C	21.200us
00171469		R:00002254	exec		\xarmle\xarm\sieve+0x44	29.500us
00167741		R:0000227C	exec		\xarmle\xarm\sieve+0x54	51.360us
00165011		R:00001E38	exec		\xarmle\xarm\func21+0x14	37.640us
00162243		R:00002254	exec		\xarmle\xarm\sieve+0x2C	38.230us
00159333		R:00002254	exec		\xarmle\xarm\sieve+0x2C	39.770us
00149817		R:00002254	exec		\xarmle\xarm\sieve+0x2C	131.000us
00140301		R:00002254	exec		\xarmle\xarm\sieve+0x2C	131.000us

3. The command **Trace.Chart.sYmbol**

This command starts a statistical analysis. An additional symbol (ERROR) is shown if errors were found.



The search could take a long time depending on the used memory size of the trace module and the type of host interface. Check the status to estimate the time.

Types of Trace Decoder Errors

One of the following errors may occur:

- **Harderror**
- **Flowerror**
- **Fifofull**

Harderror

There is no valid trace data. Possible reasons are:

- Wrong lane order
- Wrong endianness configuration (bit/byte/word/long)
- Skipping wrong amount of bytes (CRC or not)

Please see [Diagnosis Check List](#).

Flowerror

The traced data is not consistent with the code in the target memories. Possible reasons are:

- Memory contents have changed (e.g. self modifying code).
- Wrong endianness configuration (bit/byte/word/long)
- Skipping wrong amount of bytes at the end of each Aurora frame (CRC or not)

Please see [Diagnosis Check List](#).

The trace output Fifo has overflowed. The amount of trace data generated by the trace logic was greater than the trace port band width. To reduce the risk of a Fifo overflow:

- Increase the lane count if possible.
- Increase the lane speed if possible.
- Restrict the **DataTrace to read cycles** (write accesses can be reconstructed via **CTS**).
- Restrict the **DataTrace to write cycles**, a Fifo overflow becomes less likely.
- Reduce amount of trace data by using filters: use the filter **TraceEnable** or **TraceData**
- STALL the CPU if a Fifo overflow is likely to happen, if supported.
- Suppress the output of the data flow information if a Fifo overflow is likely to happen, if supported (**ETM.DataSuppress**).

	Trace macrocells are not always able to prevent overflows of the internal Fifo. Even when STALL is enabled overflows may occur.
---	---

Trace Test Failure Messages

Trace.TestFocus supports a built-in trace test. This command loads a short test program to the target memory (RAM) and traces its execution. Afterwards the recorded program flow and data pattern will be checked for any errors.

“Analyzer data capture o.k.” will be shown if the test was successful.

Test failures might be caused by a variety of reasons, usually error messages such as:

“**Trace test failed: not enough samples in the trace**” will give you a clue as to what might have caused the failure.

For explanations of the error messages, refer to “**Error Message Emulator**” in “**Error Messages**” (error.pdf).


In this section:

- [Basic Checks](#)
- [Advanced Checks](#)

Basic Checks

1. Check

Check the preprocessor seen by the TRACE32 software. **VERSION.HARDWARE** shows all detected hardware.



Detected trace hardware
must show PowerTrace Serial.

Detected preprocessor

ID	Preprocessor
0x80	Integrated Serial
0x82	Aurora 2
0x8a	PCIe-Gen4

2. Check

Check the trace port pinout. Lauterbach tools assume that the trace port pinout follows exactly the trace specification of the used architecture (please refer to [Connector Layout](#)).

Did the PowerTrace Serial work for other targets? If yes, what has changed on your new target board? Often messages such as **Trace test failed: not enough samples in the trace** or **Trace test failed: pin connection error** might indicate the source of the error.

Error message	Possible reason
Trace test failed: not enough samples in the trace	<ul style="list-style-type: none">• Trace port does not send data
Trace test failed: pin connection error	<ul style="list-style-type: none">• Trace port data format differs from the expected
Serial trace connection had errors	<ul style="list-style-type: none">• The serial link is not stable

Also check the voltage level of the reference voltage. It is used as a reference for trigger and Vendor-I/O signals. It should correspond to the amplitude of your trigger signal.

3. Check

Double-check that the trace connector is properly connected to your target and that the orientation is correct. For trace port sizes with more than 6 lanes, Serial Port 1 must be used.

4. Check

Did your debugger remain in control over the target at all times when attempting to capture a trace? Error messages such as “**emulation debug port fail**” indicate that the debugger lost control over the target. In case your debugger lost control over the target:

- Is there a separate JTAG connector on your target?
If available, connect the debug cable directly to this connector. Ensure that the JTAG signals are routed to only one connector, either trace connector or debug connector. Y-routing of signals will decrease signal integrity by reflections.
- Are all supply voltage levels stable when the trace port is active?
Double check your targets supply voltage.
- A debug port fail can also happen in case of trace decoder errors based on inconsistent or damaged trace data. Clear the trace buffer and try to single step instructions. Do you see them displayed in the trace list window correctly?

5. Check

Some CPU types do not have dedicated trace port pins. Instead trace signals are multiplexed with other signals (e.g. SATA and Aurora). A special port pin setup may be required to get trace functionality. Check your CPU manual for the correct port pin configuration.




Advanced target applications might use more than one initialization procedure or the setup might change during run time again. Make sure that the trace port is actually enabled when attempting to trace.

6. Check

In case of shared trace pins, additional buffers (e.g. PCIE switches) may be used on the target hardware. Make sure that these buffers are enabled and configured correctly.

7. Check

TRACE32 offers a powerful feature called **Analyzer.ShowFocusEye** to visualize the signal integrity of the trace port. It opens the window with a analog view of the data eyes:



A Rainbow style

B Gray style

C Black&white style

The horizontal axis reflects the time line in UI (unit intervals). The vertical axis reflects the voltage range of the input buffer. Press SCAN to update the measurement. With the button COLOR you can change the coloring of the graph. Rainbow scale [A] and grey scale [B] give an idea about the margin (darkblue = stable). Black and white scaling [C] shows the real usable range (white = stable/usable, black = unstable). The window gives you an idea about the signal integrity of your lanes. Each lane can be displayed separately by using the up/down buttons.

Mostly, if you only see a black or red screen (maybe with stripes) then the receiver did not lock. Either there is no trace signal or the target lane speed is not as expected.



The graph shown in the **Analyzer.ShowFocusEye** window is similar to a sampling scope measurement. It reflects the trace signal seen by PowerTrace Serial. The absolute values cannot be guaranteed, but give an suitable impression of the signal integrity and what the tools does "see".

8. Check

Is your TRACE32 software up to date?

VERSION . SOFTWARE

It should be newer than build number #81148. Check

https://www.lauterbach.com/download_trace32.html or ask your local support team for an update or contact support@lauterbach.com.

1. Check

The bit order of incoming trace data might be wrong. This can happen by user fault (wrong configuration) or by manufacturer fault (chip bug). The PowerTrace Serial allows to change bit, byte, word and double-word (long) order by the following commands:

- **TRACEPORT.MsgBItEndian**
- **TRACEPORT.MsgBYteEndian**
- **TRACEPORT.MsgWOrdEndian**
- **TRACEPORT.MsgLOngEndian**

The following table shows the influence of each swap to the bit order:

No Swap:	63	56	55	48	47	40	39	32	31	24	23	16	15	8	7	0
		<-----														
Bit Endianness:	56	63	48	55	40	47	32	39	24	31	16	23	8	15	0	7
		--->		--->		--->		--->		--->		--->		--->		--->
Byte Endianness:	55	48	63	56	39	32	47	40	23	16	31	24	7	0	15	8
		<----->		<----->		<----->		<----->		<----->		<----->		<----->		<----->
Word Endianness:	63			48	47			32	31			16	15			0
					<----->							<----->				
Long Endianness:	31							0	63						32	
									<----->							



Changing the endianness will have effect to the payload (trace data) only. The Aurora protocol data (e.g. /SOF/ or /IDLE/) are not influenced.

Recommendations for Target Board Design

- Place the trace connector close to the target processor. Make sure that the ground and the latch pins are connected to your target's ground plane.
For information on Samtec ERF8 connectors please refer to:
www.samtec.com
Additional information on flex extension cables can be obtained by contacting support@lauterbach.com.
- Keep lane length short to keep attenuation caused by PCB material low.
- Lane matching below 1cm (half inch) is sufficient, because it can be handled by the transmission protocol.
- +/- signal-matching must be done as good as possible. Make it on every direction-change even if it is a very small difference. Further, the matching must be done before (seen from target to tool) any layer change (via) happens. This keeps the best signal integrity.
- Cut out the GND-plane below pads of connectors and components to reduce parasitic capacitance.
- Avoid stubs e.g. by using only top or bottom layers. Use back-drilled vias if middle layers are used.
- Ideally lanes should have a 100Ω impedance, but 5% tolerance is suitable. Use impedance controlled PCBs. FR4-material is suitable for short distances (10cm/ 4inches).
- Prevent use of signal vias. Ideally stay on one layer.
- Place GND-stitching vias close to signal vias.
- Don't change the reference plane of the signals like e.g. GND->VCC->GND. Use only GND as signal reference.
- An adequate number of bypass capacitors for DUT are crucial to keep the supply voltage stable when the trace port is driven by your application. If your supply voltages are not stable, the high-speed trace signals might be instable too.
- Capacitor vias should never be shared, each capacitor requires its own vias close to the pads.
- The target voltage (VCCSENSE) has to be within the specified range, see **Electrical requirements**. For other voltage levels, contact support@lauterbach.com.

In this section:

- [PowerTrace Serial Accessory Sets](#)
- [Electrical Specification for PowerTrace Serial](#)

PowerTrace Serial Accessory Sets

Product number	Product code	Includes
LA-3521	ACC-PTSERIAL-ETM 1-6	LA-1235 (40pin flex cable) LA-2770 (Mipi34-ARM20-adapter) LA-2114 (34pin Half-size-Cable)
LA-3522	ACC-PTSERIAL-ETM 7-8	LA-1239 (80pin flex cable)

LA-3521 - ACC-PTSERIAL-ETM 1-6

LA-1235 - 40pin Flex Cable

Manufacturer	Samtec
Type	30 AWG Twinax
Impedance	100 Ω
Capacitance	48.9 pF/m
Inductance	0.518 μ H/m
Propagation Delay	4.79 ns/m
Shield	Braid, Silver Plated Copper
Dielectric	FEP
Jacket	PVC
Length	53 cm

Manufacturer	Lauterbach GmbH
Connector 34pin	Samtec, FTSH-117-01-L-DV-EJ-SLA
Connector 20pin	Standard 2.54mm, pin header with shroud
PCB	FR4

LA-2114 - 34pin Half Size Cable

Manufacturer	Yamaichi
Type	Flat ribbon cable
Impedance	75 Ω
Capacitance	22.5pF/ft.
Inductance	0.317 μ H/ft.
Propagation Delay	1.7 ns/ft.
Conductor	30 AWG
Insulation Material	PVC
Contact Current Rating	0.5A
Contact Resistance	30 m Ω
Length	45mm
Pitch	1.27mm x 1.27mm

LA-1239 - 80pin Flex Cable

Manufacturer	Samtec
Type	30 AWG Twinax
Impedance	100 Ω
Capacitance	48.9 pF/m
Inductance	0.518 μ H/m
Propagation Delay	4.79 ns/m
Shield	Braid, Silver Plated Copper
Dielectric	FEP
Jacket	PVC
Length	53 cm

Electrical Specification for PowerTrace Serial

Electrical Characteristics

Serial Port 0

VCCSENSE	1.2-3.3V
Vendor IO	1.2-3.3V
JTAG	1.2-3.3V
TRIGIN	1.2-3.3V
TRIGOUT	1.2-3.3V
Synchronous reference clock (bit clock)	CML output, fraction of lane speed (1/1, 1/2, 1/10, 1/11, 1/12, 2/25, 1/20, 1/22, 1/24, 1/25, 1/30, 1/34, 1/40, 1/50), max. 6.25GHz

Serial Port 1

VCCSENSE	1.2-3.3V
TRIGIN	1.2-3.3V
TRIGOUT	1.2-3.3V
Asynchronous reference clock (oscillator clock)	output HCSL (10MHz-500MHz) or input LVDS/LVPECL/HCSL 100MHz-500MHz
Synchronous reference clock (bit clock)	CML output, fraction of lane speed (1/1, 1/2, 1/10, 1/11, 1/12, 2/25, 1/20, 1/22, 1/24, 1/25, 1/30, 1/34, 1/40, 1/50), max. 6.25GHz

Absolute Maximum Ratings

VCCSENSE	0-3.6V
I/O (JTAG,TRIG,Vendor)	0-3.6V

Switching Characteristics

Lane speed	625Mbps-8000Mbps 9000Mbps-12500Mbps
-------------------	--

Timing Characteristics

Maximum Lane Skew

Lane skew	10UI
-----------	------

Additional Data

PCB

Impedance	100 Ω differential
Er	4.7
Material	FR4

Device Connector

Samtec	40 pin, ERF8-020-01-L-D-RA-L-TR 80 pin, ERF8-040-01-L-D-RA-L-TR
--------	--

Simulation Data Request

Connector	www.samtec.com
Flex cable	support@lauterbach.com
Receiver XC7K325T-FFG900, GTX	www.xilinx.com
PCB	support@lauterbach.com

PowerTrace Serial

Models of the FPGA and the connector are required to simulate the input stage of PowerTrace Serial. Please contact Xilinx and Samtec for device simulation models:

Xilinx FPGA: Kintex7 XC7K320T-3, FF900, GTX-transceiver

Samtec connector: ERF8 series, 80pin, right-angle

Dimensions

PowerTrace Serial: https://www.lauterbach.com/size/si_3520.pdf

Adapter for 1lane PCIe-slot: https://www.lauterbach.com/size/si_3527.pdf

Adapter for 4lane PCIe-slot: https://www.lauterbach.com/size/si_3524.pdf

Adapter for 8lane PCIe-slot: https://www.lauterbach.com/size/si_3525.pdf

Adapter for Mini-PCIe: https://www.lauterbach.com/size/si_3526.pdf

Adapter for AGBT: https://www.lauterbach.com/size/si_3556.pdf

Adapter for RH850: https://www.lauterbach.com/size/si_3561.pdf

80pin flex extension cable: https://www.lauterbach.com/size/si_1239.pdf

Connector Layout

SerialPort 0

The Serial Port 0 is designed for HSSTP trace ports. The use of the flex extension cable (LA-1235) let the Serial Port 0 follow the ARM-HSSTP standard. The debug signals will be routed to the 34pin debug connector on the top of the PowerTrace Serial module and can be accessed for debug cable.

The Serial Port 0 will also be used for non-HSSTP targets. In this case additional adapters could be necessary.

SerialPort 1

The Serial Port 1 is designed to support multiple interfaces. The function of the signals change depending on the targets trace port. The pin-out of this connector should be seen as Lauterbach proprietary. If you want to connect non-supported data sources please contact the Lauterbach support.

Logic Analyzer Probe (only PowerTrace Serial V1)

The IProbe timing analyzer module is a part of the PowerTrace Serial (PTS) units. It is a subset of the TRACE32 timing analyzer solutions (PowerProbe and PowerIntegrator). It offers a minimum of timing capture capabilities and is not intended to replace or substitute these units. Just a simple signal qualifier can be used to trigger the analyzer. There is no external clock source and there is no complex trigger capability to qualify input signals. However, IProbe offers transient recording which allows an optimal usage of the available trace memory space.

The IProbe offers either a 17 bit digital data trace or a 7 * 12 bit subsequent analog input trace. Depending on if a timing trace or an analog trace is required, either a timing input probe or an analog input probe must be connected to the trace port of the PTS unit. If the required probe is attached, IProbe works as a digital or an analog trace module.

The timing probe basically consists on a high speed buffer for 17 signals, whereas the analog probe is equipped with a 7 channel AD-Converter.


There is a timestamp unit with a resolution of 5ns.

Timing or analog trace date can easily be correlated to the regular program trace. The features of the protocol analysis can also be used.

Aux Port V1 (only PowerTrace Serial V2)

tbd

The 34pin debug connector should be seen as extension to Serial Port 0. The ARM-HSSTP standard defines a target connector which includes debug signals and trace signals. The debug signals are not used by the PowerTrace Serial, but they can be accessed via the MIPI-conform 34pin connector on the top of the module.



Serial Port 0

40pin ERF

Debug

34pin MIPI



The pinout of the SerialPort0-connector does not match the target trace connector pinout! The necessary flex extension cable will change the signal order to match the HSSTP standard.

The correct target connector pinout for ARM-HSSTP can be found here:
<https://www.lauterbach.com/adetmhssstp.html>